

Fish and Wildlife Management Information System (28-MAY-09)

Survey Year: 2008, Species: MOOSE

WMU - Wildlife Management Unit

Estimated Hunters - the estimated number of hunters who hunted in the WMU for this species.

Estimated Harvest - the estimated number of animals of this species taken by hunters in the WMU.

Percent Hunter Success - The percent of hunters hunting in this WMU who succeeded at harvesting an animal of this species in the WMU.

Hunter Days/ Animal - the average number of days each hunter spent hunting for this species in the WMU before an animal was harvested

WMU	Draw Code	Draw Choice	Estimated Total Harvest	Hunter Success (%)	Average Hunter Days per Animal
156	27-Antlerless Moose	156	2	50%	4
	33-Antlered Moose	156	4	100%	2
158	27-Antlerless Moose	158	0	0%	0
	33-Antlered Moose	158	0	0%	0
160	27-Antlerless Moose	160	8	75%	4.3
	33-Antlered Moose	160	10	80%	3.5
162	27-Antlerless Moose	162	11	100%	1.3
	33-Antlered Moose	162	9	100%	1.6
163	27-Antlerless Moose	163	5	80%	2.8
	33-Antlered Moose	163	13	100%	2.5
164	27-Antlerless Moose	164	4	100%	1
	33-Antlered Moose	164	5	100%	5
166	27-Antlerless Moose	166	37	83%	4.7
	33-Antlered Moose	166	27	100%	5.3
200	27-Antlerless Moose	200	27	78%	4.9
	33-Antlered Moose	200	31	100%	6.3
202	27-Antlerless Moose	202	29	63%	9.3
	33-Antlered Moose	202	22	63%	9.3
203	27-Antlerless Moose	203	27	90%	4.4
	33-Antlered Moose	203	20	100%	5
204	27-Antlerless Moose	204	16	60%	7.8
	33-Antlered Moose	204	9	67%	8
206	27-Antlerless Moose	206	0	0%	0
	33-Antlered Moose	206	2	50%	12
208	27-Antlerless Moose	208	23	53%	13.1
	33-Antlered Moose	208	15	64%	21.1
210	27-Antlerless Moose	210	6	18%	51.3
	33-Antlered Moose	210	10	46%	16.7
214	27-Antlerless Moose	214	25	90%	5.9
	33-Antlered Moose	214	17	78%	10.6
216	27-Antlerless Moose	216	30	76%	8.6
	33-Antlered Moose	216	21	63%	12.1
220	27-Antlerless Moose	220	21	38%	22.3
	33-Antlered Moose	220	7	33%	33.7
221	27-Antlerless Moose	221	11	60%	15.7
	33-Antlered Moose	221	5	50%	19.7
222	27-Antlerless Moose	222	7	75%	3.7
	33-Antlered Moose	222	5	67%	18
224	27-Antlerless Moose	224	48	51%	13.6
	33-Antlered Moose	224	41	47%	16.4

226	27-Antlerless Moose	226	10	75%	4.2
	33-Antlered Moose	226	2	20%	38
228	27-Antlerless Moose	228	19	89%	6.4
	33-Antlered Moose	228	9	67%	8.8
230	27-Antlerless Moose	230	18	100%	1.9
	33-Antlered Moose	230	18	82%	11.4
232	27-Antlerless Moose	232	41	100%	2.6
	33-Antlered Moose	232	28	81%	9.9
234	27-Antlerless Moose	234	57	88%	8.6
	33-Antlered Moose	234	39	77%	9.1
236	27-Antlerless Moose	236	46	73%	8.7
	33-Antlered Moose	236	18	46%	10.5
238	27-Antlerless Moose	238	27	67%	16.4
	33-Antlered Moose	238	19	50%	17
240	27-Antlerless Moose	240	8	100%	4.8
	33-Antlered Moose	240	4	50%	3
242	27-Antlerless Moose	242	41	55%	11.5
	33-Antlered Moose	242	32	57%	10.7
244	27-Antlerless Moose	244	5	100%	9
	33-Antlered Moose	244	0	0%	0
246	27-Antlerless Moose	246	8	44%	24.5
	33-Antlered Moose	246	8	30%	58.3
248	27-Antlerless Moose	248	0	0%	0
250	27-Antlerless Moose	250	63	59%	11
	33-Antlered Moose	250	53	37%	19.9
252	27-Antlerless Moose	252	28	100%	6.8
	33-Antlered Moose	252	13	80%	17.5
254	27-Antlerless Moose	254	49	78%	11.6
	33-Antlered Moose	254	46	74%	7
256	27-Antlerless Moose	256	17	46%	21.5
	33-Antlered Moose	256	11	29%	26.5
258	27-Antlerless Moose	258	13	43%	19
	33-Antlered Moose	258	28	58%	17
260	27-Antlerless Moose	260	18	78%	9.4
	33-Antlered Moose	260	8	40%	26.7
300	33-Antlered Moose	300	8	75%	4.3
302	33-Antlered Moose	302	15	100%	10.8
303	33-Antlered Moose	303	1	17%	86
304	33-Antlered Moose	304	53	70%	9.8
305	33-Antlered Moose	305	2	100%	6.5
306	33-Antlered Moose	306	4	50%	3
308	33-Antlered Moose	308	20	86%	4.5
310	27-Antlerless Moose	310	5	67%	7.5
	33-Antlered Moose	310	9	67%	4.3
312	27-Antlerless Moose	312	16	38%	14.6
	33-Antlered Moose	312	18	43%	16.3
314	27-Antlerless Moose	314	30	44%	17.8
	33-Antlered Moose	314	25	22%	41.5
316	27-Antlerless Moose	316	3	100%	2
	33-Antlered Moose	316	2	20%	28
	27-Antlerless Moose	318	11	67%	8

318	33-Antlered Moose	318	12	63%	10.8
	27-Antlerless Moose	320	10	46%	14.5
320	33-Antlered Moose	320	14	47%	15.1
	27-Antlerless Moose	322	14	71%	12.2
322	33-Antlered Moose	322	12	71%	17
	27-Antlerless Moose	324	7	50%	10
324	33-Antlered Moose	324	14	70%	11.6
	33-Antlered Moose	874	1	33%	30
326	33-Antlered Moose	882	13	88%	7.7
	33-Antlered Moose	875	4	50%	10
328	33-Antlered Moose	883	16	58%	10.6
	33-Antlered Moose	884	5	11%	93
330	33-Antlered Moose	876	8	75%	4.7
	27-Antlerless Moose	332	18	77%	12.4
332	33-Antlered Moose	332	14	33%	27.2
	27-Antlerless Moose	334	58	59%	12.3
334	33-Antlered Moose	334	21	27%	33
	27-Antlerless Moose	336	70	70%	12.2
336	33-Antlered Moose	336	53	47%	17.4
	27-Antlerless Moose	337	9	67%	2
337	33-Antlered Moose	337	22	31%	35.8
338	33-Antlered Moose	338	63	41%	22.4
	33-Antlered Moose	877	9	50%	16.3
339	33-Antlered Moose	885	2	11%	58
	33-Antlered Moose	878	21	64%	17.1
340	33-Antlered Moose	886	9	21%	47
	33-Antlered Moose	879	14	75%	4.7
342	33-Antlered Moose	887	4	17%	50
	33-Antlered Moose	914	18	53%	15.3
344	33-Antlered Moose	913	20	82%	8
	33-Antlered Moose	888	58	47%	16.5
346	33-Antlered Moose	880	65	66%	6.9
	33-Antlered Moose	915	9	29%	30.8
347	33-Antlered Moose	916	13	38%	23.7
348	33-Antlered Moose	348	108	51%	18.3
	33-Antlered Moose	918	31	35%	24.1
349	33-Antlered Moose	917	41	51%	15.8
	33-Antlered Moose	919	80	43%	18
350	33-Antlered Moose	920	61	26%	32.5
	33-Antlered Moose	921	31	38%	16.9
351	33-Antlered Moose	922	30	33%	20.5
	27-Antlerless Moose	352	25	50%	9.3
352	33-Antlered Moose	923	21	100%	12.4
	33-Antlered Moose	924	15	60%	10.5
	27-Antlerless Moose	353	179	49%	13.4
353	33-Antlered Moose	925	104	51%	12
	33-Antlered Moose	926	68	30%	23
	28-Calf Moose	354	15	25%	32.5
354	33-Antlered Moose	927	52	66%	12.1
	33-Antlered Moose	928	31	33%	17.6
	27-Antlerless Moose	355	84	69%	10.3

355	33-Antlered Moose	930	2	20%	21
	33-Antlered Moose	929	7	100%	7.3
356	33-Antlered Moose	942	78	65%	10.6
	33-Antlered Moose	941	83	77%	8.8
357	27-Antlerless Moose	357	224	67%	9.3
	33-Antlered Moose	943	36	43%	20.5
	33-Antlered Moose	944	54	53%	17
358	33-Antlered Moose	945	32	71%	13.2
	33-Antlered Moose	946	33	60%	7.9
359	28-Calf Moose	359	69	60%	10.1
	33-Antlered Moose	947	11	67%	14.3
	33-Antlered Moose	948	8	38%	20
360	28-Calf Moose	360	79	44%	15.4
	33-Antlered Moose	950	21	26%	37.1
	33-Antlered Moose	949	26	47%	17
400	33-Antlered Moose	400	22	88%	7.7
402	33-Antlered Moose	402	7	67%	7.5
404	27-Antlerless Moose	404	0	0%	0
	33-Antlered Moose	404	14	75%	6.5
406	27-Antlerless Moose	406	5	33%	33.5
	33-Antlered Moose	406	28	59%	7.9
408	33-Antlered Moose	408	1	25%	44
412	33-Antlered Moose	412	2	25%	29
414	33-Antlered Moose	414	2	8%	65
416	33-Antlered Moose	416	0	0%	0
417	33-Antlered Moose	417	1	33%	52
418	33-Antlered Moose	418	0	0%	0
420	33-Antlered Moose	420	4	67%	10.5
422	33-Antlered Moose	422	0	0%	0
426	33-Antlered Moose	426	0	0%	0
428	33-Antlered Moose	428	3	50%	10
429	33-Antlered Moose	889	6	100%	5.3
	33-Antlered Moose	881	1	100%	3
430	33-Antlered Moose	430	3	33%	20
432	33-Antlered Moose	432	1	33%	18
434	33-Antlered Moose	434	3	50%	75
436	33-Antlered Moose	436	3	40%	13
437	33-Antlered Moose	437	8	33%	45
438	33-Antlered Moose	438	8	27%	29
439	33-Antlered Moose	439	6	67%	20.5
440	33-Antlered Moose	440	14	73%	11.1
441	33-Antlered Moose	441	4	67%	5.3
442	33-Antlered Moose	442	2	50%	17
444	33-Antlered Moose	444	0	0%	0
445	33-Antlered Moose	445	8	63%	8.8
446	33-Antlered Moose	446	13	55%	20
500	27-Antlerless Moose	500	21	23%	42
	33-Antlered Moose	500	4	5%	145
501	27-Antlerless Moose	501	4	60%	11.3
	33-Antlered Moose	501	5	50%	12.7
	27-Antlerless Moose	502	25	60%	14.4

502	33-Antlered Moose	502	14	28%	26.2
	27-Antlerless Moose	503	35	80%	6.7
503	33-Antlered Moose	503	51	44%	22.5
	27-Antlerless Moose	504	38	56%	13.4
504	33-Antlered Moose	504	42	33%	24.5
	28-Calf Moose	505	15	50%	12
505	33-Antlered Moose	505	9	44%	15
	27-Antlerless Moose	506	77	60%	10.4
506	33-Antlered Moose	506	58	43%	16.7
	27-Antlerless Moose	507	13	50%	12.3
507	33-Antlered Moose	507	49	53%	13.2
	27-Antlerless Moose	508	38	76%	6.8
508	33-Antlered Moose	508	28	61%	9.5
	27-Antlerless Moose	509	30	55%	11.8
509	33-Antlered Moose	509	33	31%	23.6
	28-Calf Moose	510	36	65%	13.5
510	33-Antlered Moose	510	39	83%	9.3
	33-Antlered Moose	951	61	27%	38.3
511	33-Antlered Moose	952	42	21%	37.3
	33-Antlered Moose	953	44	37%	19.4
512	33-Antlered Moose	954	40	16%	47.8
	33-Antlered Moose	955	9	50%	16.3
514	33-Antlered Moose	956	10	29%	31
	33-Antlered Moose	958	12	13%	51
515	33-Antlered Moose	957	22	39%	17.1
	33-Antlered Moose	959	26	30%	23.3
516	33-Antlered Moose	960	15	11%	56
517	33-Antlered Moose	517	11	31%	27.4
518	33-Antlered Moose	518	46	32%	36.2
	33-Antlered Moose	962	0	0%	0
519	33-Antlered Moose	961	10	40%	11.5
	33-Antlered Moose	963	66	36%	25.7
520	33-Antlered Moose	964	24	19%	40.1
	28-Calf Moose	521	65	43%	19.4
521	33-Antlered Moose	966	37	31%	27.5
	33-Antlered Moose	965	45	38%	21.1
	28-Calf Moose	522	50	63%	11
522	33-Antlered Moose	968	37	64%	9.5
	33-Antlered Moose	967	39	73%	7.1
	28-Calf Moose	523	122	71%	11
523	33-Antlered Moose	969	43	55%	14.1
	33-Antlered Moose	970	55	72%	12.5
	33-Antlered Moose	972	15	12%	55
524	33-Antlered Moose	971	79	49%	13.4
	33-Antlered Moose	974	41	33%	25.1
525	33-Antlered Moose	973	38	52%	16.8
	28-Calf Moose	526	11	40%	20.5
526	33-Antlered Moose	975	35	56%	11
	33-Antlered Moose	976	33	36%	22.7
	28-Calf Moose	527	9	67%	6.3
	33-Antlered Moose	977	27	44%	15.9

527	33-Antlered Moose	978	33	52%	11.1
	33-Antlered Moose	980	29	37%	15
528	33-Antlered Moose	979	107	47%	13.3
529	33-Antlered Moose	529	18	30%	33.4
530	33-Antlered Moose	530	26	24%	38
531	33-Antlered Moose	531	32	20%	43.1
532	33-Antlered Moose	532	7	50%	17
534	33-Antlered Moose	534	15	12%	66.8
	33-Antlered Moose	982	3	25%	39
535	33-Antlered Moose	981	3	14%	36
	33-Antlered Moose	983	42	30%	27.2
536	33-Antlered Moose	984	2	10%	85
	33-Antlered Moose	985	37	64%	10.9
537	33-Antlered Moose	986	14	26%	23.5
539	33-Antlered Moose	539	28	50%	18
540	33-Antlered Moose	540	10	17%	50
	33-Antlered Moose	718	18	17%	42.9
541	33-Antlered Moose	719	0	0%	0
	33-Antlered Moose	717	14	16%	45.3
542	33-Antlered Moose	716	26	26%	27.5
	33-Antlered Moose	987	29	36%	17.3
544	33-Antlered Moose	988	22	24%	37.5
	27-Antlerless Moose	728	25	65%	3.2
	28-Calf Moose	728	20	71%	6.3
728	33-Antlered Moose	728	39	77%	4
	33-Antlered Moose	991	7	67%	10.3
841	33-Antlered Moose	992	0	0%	0
	27-Antlerless Moose	936	19	42%	11.7
936	33-Antlered Moose	936	14	32%	13.9

